

Vernetta Burton

Rueckert Avenue
Baltimore, MD

2 Inspection Visits Since 2024 - 4 Findings

Most recent inspection: Aug 20, 2025

● 4 Important

Across 2 inspections since 2024, the issues cited most often were One Emergency Card Had Not Been Updated as Required. (1), BCFD Fire Permit Had Expired . (1), and The Provider's Current CPR/First Aid Was Not Available for Review. Ms. Burton Stated She Will Forward Documents by 08-21-2025 (1). None of the 4 findings were critical.

Inspection Visits

Aug 20, 2025 3 Findings ● 3 Important

● **One Emergency Card Had Not Been Updated as Required.**

13A.15.03.04A(3)

● **BCFD Fire Permit Had Expired .**

13A.15.05.04A(2)

● **The Provider's Current CPR/First Aid Was Not Available for Review. Ms. Burton Stated She Will Forward Documents by 08-21-2025**

13A.15.06.02D(1)

Sep 12, 2024 1 Finding ● 1 Important

● **LS Reviewed 6 Child Files; No File Included Written Information Regarding Individual Needs.**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.