

Tyemesha Cephas

Smithville Road
Federalsburg, MD

1 Inspection Visit Since 2023 · 9 Findings

Most recent inspection: Dec 11, 2025

● 9 Important

Across 1 inspection since 2023, the issues cited most often were Children Did Not Wash Hands Prior to Snack. (2), Provider Was Unable to Locate Folder for an Enrolled Student. (1), and Two Children Are Missing Lead Tests. (1). None of the 9 findings were critical.

Inspection Visits

Dec 13, 2023 9 Findings ● 9 Important

- **Provider Was Unable to Locate Folder for an Enrolled Student.**
13A.15.03.02A
- **Two Children Are Missing Lead Tests.**
13A.15.03.02B
- **Provider Is Missing One Contract.**
13A.15.03.03A
- **Provider Was Not Recording Monthly Fire Drills.**
13A.15.03.03F
- **Smoke Detector Was Beeping Leading Specialist to Believe It Was Not Working Properly.**
13A.15.05.01A
- **Refrigerator Needs to Be Cleaned. Items Have Spilled and Debris Has Collected on the Bottom.**
13A.15.05.03A
- **Children Did Not Wash Hands Prior to Snack.**
13A.15.05.03D(1)
- **Children Did Not Wash Hands Prior to Eating Snack.**
13A.15.05.03D(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

● **Provider Was Not Using a Non Absorbent Barrier When Changing Diapers.**

13A.15.05.03E(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.