

Kimberley Browne

Windswept Lane
Valley Lee, MD

2 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Jul 31, 2025

● 3 Important

Across 2 inspections since 2024, the issues cited most often were One Child Needs an Emergency Card. (1), There Is One Child Who Needs a Lead Blood Test at 2 Years of Age. (1), and There Were Hydration Tablets on the Kitchen Table. These Were Labelled to Keep Out of Reach of Children. They Were Made Inaccessible During the Inspection. (1). None of the 3 findings were critical.

Inspection Visits

Jul 31, 2025 1 Finding ● 1 Important

- **One Child Needs an Emergency Card.**
13A.15.03.04A(1)

Jul 9, 2024 2 Findings ● 2 Important

- **There Is One Child Who Needs a Lead Blood Test at 2 Years of Age.**
13A.15.03.02B
- **There Were Hydration Tablets on the Kitchen Table. These Were Labelled to Keep Out of Reach of Children. They Were Made Inaccessible During the Inspection.**
13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.