

Kiddie Academy of Millersville

Old Jumpers Hole Road
Pasadena, MD

5 Inspection Visits Since 2025 · 13 Findings

Most recent inspection: Apr 6, 2026

13 Important

Across 5 inspections since 2025, the issues cited most often were A Preschool Teacher and Aide Left a Three Year Old Child in the Bathroom in Room 7 While the Rest of the Classroom Went Outside for Outdoor Play for Seconds According to the Facility. Corrected During Inspection. The Facility Terminated the Staff Responsible for Supervising the Child. (3), A Preschool Teacher and Aide Left a Three Year Old Child in the Bathroom in Room 7 While the Rest of the Classroom Went Outside for Outdoor Play for Seconds According to the Facility. Corrected During Inspection. The Facility Terminated the Staff Responsible for Supervising the Child. (2), and Licensing Specialist Reviewed Attendance Records via Tadpoles Print Outs and Observed That a Name to Face Procedure Was Not Conducted Before the Staff Left Room 7. Corrected During Inspection. The Two Staff That Failed to Verify Children's Attendance During a Transition Were Terminated by the Facili (1). None of the 13 findings were critical.

Inspection Visits

Apr 6, 2026 3 Findings 3 Important

- **Licensing Specialist Reviewed Attendance Records via Tadpoles Print Outs and Observed That a Name to Face Procedure Was Not Conducted Before the Staff Left Room 7. Corrected During Inspection. The Two Staff That Failed to Verify Children's Attendance During a Transition Were Terminated by the Facili**
13A.16.03.03A(2)
- **A Preschool Teacher and Aide Left a Three Year Old Child in the Bathroom in Room 7 While the Rest of the Classroom Went Outside for Outdoor Play for Seconds According to the Facility. Corrected During Inspection. The Facility Terminated the Staff Responsible for Supervising the Child.**
13A.16.07.06A
- **A Preschool Teacher and Aide Left a Three Year Old Child in the Bathroom in Room 7 While the Rest of the Classroom Went Outside for Outdoor Play for Seconds According to the Facility. Corrected During Inspection. The Facility Terminated the Staff Responsible for Supervising the Child.**
13A.16.08.01A(2)(b)

Jan 9, 2026 2 Findings 2 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed Three Preschool Teachers with 4.5 Hours of Continued Training Completed During Their Last Full Years of Employment.**

13A.16.06.09C

- **LS Observed One Aide with 1.5 Hours of Continued Training Completed for Their Last Full Year of Employment Based on Their Hire Date.**

13A.16.06.12B(1)

Oct 1, 2025 2 Findings ● 2 Important

- **Licensing Specialist Walked Into Room 7 and Asked a Staff How Many Children They Had in the Room. The Staff Responded 9. LS Inspected the Room and Saw a Child in the Bathroom. LS Asked the Staff if This Child Belonged to Their Group or Room 8 Which Shares a Bathroom with Room 7. The Staff Walked To**

13A.16.08.01A(2)(b)

- **Licensing Specialist Walked Into Room 8 and One Aide Was Supervising Eight (8) Three Year Old Children. Corrected During Inspection. Room 7 Who Had a Substitute Combined with Room 8 During the Inspection.**

13A.16.08.02B

Sep 3, 2025 4 Findings ● 4 Important

- **Licensing Specialist Checked a Sample of Child Records and Observed One Child Missing a Complete Health Inventory II Form.**

13A.16.03.04D(3)

- **Licensing Specialist Checked a Sample of Child Records and Observed One Child Missing Their Second Lead Test.**

13A.16.03.04E

- **A Four Year Old Child Was Left in Room 9 During a Fire Drill for About Two Minutes. Corrected During Inspection. Both Substitutes Supervising Children Were Terminated by the Program the Same Day of the Incident on August 28, 2025. The Agent Retrained Staff on Name to Face Procedures, Implemented Sub**

13A.16.07.06A

- **A Four Year Old Child Was Left in Room 9 During a Fire Drill for About Two Minutes. Corrected During Inspection. Both Substitutes Supervising Children Were Terminated by the Program the Same Day of the Incident on August 28, 2025. The Agent Retrained Staff on Name to Face Procedures, Implemented Sub**

13A.16.08.01A(2)(b)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Jul 23, 2025 2 Findings ● 2 Important

- **Licensing Specialist Observed a Diapering Pad with a Tear in It in Room 2.**

13A.16.05.11A

- **A Staff Supervising a Child That They Do Not Typically Work with Was Unaware That the Child Had Multiple Previous Cases of Nursemaids Elbow. This Child Ended Up Having Nursemaids Elbow After a Staff Did Not Let Go of the Child's Hands as They Dropped to the Floor. The Agent Stated That She Believes**

13A.16.08.01B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.