

Linda Garey

Oakleigh Beach Rd
Baltimore, MD

2 Inspection Visits Since 2024 - 14 Findings

Most recent inspection: Oct 8, 2025

● 14 Important

Across 2 inspections since 2024, the issues cited most often were Licensing Specialist Observed an Emergency Information Form with No Date of Signature. Correction Noted on October 30, 2025. (3), Licensing Specialist Observed Several Bottles of Alcohol Stored in a Floor Cabinet in a Room Where Children Were Actively Playing . The Cabinet Doors Did Not Have a Child Proof Device. Licensing Specialist Observed a Bottle of Seagram's Gin Sitting on a Cabinet in a Room Used and Approved for Child (3), and Licensing Specialist Observed Several Bottles of Alcohol Stored in a Floor Model Storage Cabinet . The Cabinet Doors Did Not Have a Child Proof Device. Licensing Specialist Observed a Bottle of Seagram's Gin Sitting on a Cabinet in a Room Used and Approved for Child Care. The Cabinet Top Serves as A (2). None of the 14 findings were critical.

Inspection Visits

Oct 8, 2025 8 Findings ● 8 Important

- **Licensing Specialist Observed an Emergency Information Form with No Date of Signature. Correction Noted on October 30, 2025.**
13A.15.03.04A(1)
- **Licensing Specialist Observed an Emergency Information Form with No Date of Signature. Correct Immediately. Correction Noted on October 30, 2025.**
13A.15.03.04A(3)
- **Provider Did Not Have a Completed Health Inventory and Emergency Information Form for All Enrolled Children . Correct Immediately.**
13A.15.03.04C
- **Licensing Specialist Observed Several Bottles of Alcohol Stored in a Floor Model Storage Cabinet . The Cabinet Doors Did Not Have a Child Proof Device. Licensing Specialist Observed a Bottle of Seagram's Gin Sitting on a Cabinet in a Room Used and Approved for Child Care. The Cabinet Top Serves As**
13A.15.05.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed Several Bottles of Alcohol Stored in a Floor Cabinet in a Room Where Children Were Actively Playing . The Cabinet Doors Did Not Have a Child Proof Device. Licensing Specialist Observed a Bottle of Seagram's Gin Sitting on a Cabinet in a Room Used and Approved for Child**
13A.15.05.04B(2)
- **Licensing Specialist Observed Bottles of Liquor in a Floor Model Cabinet with No Child Proof Device and a Bottle of Liquor on a Storage Cabinet in a Room Across From the Living Room. Children Under the Age of 5 Were Observed Playing in the Room Where the Floor Model Storage Cabinet Housing the Bottl**
13A.15.05.04B(3)
- **On October 08, 2025, Licensing Specialist Observed a Child Younger Than 12 Months Old Asleep in an Infant Seat. Child Remained in the Seat Until It Woke Up.**
13A.15.05.06H
- **Licensing Specialist Observed Several Bottles of Alcohol Stored in a Floor Model Storage Cabinet . The Cabinet Doors Did Not Have a Child Proof Device. Licensing Specialist Observed a Bottle of Seagram's Gin Sitting on a Cabinet in a Room Used and Approved for Child Care. The Cabinet Top Serves as A**
13A.15.10.02

Sep 26, 2024 6 Findings ● 6 Important

- **At the Time of the Inspection the Provider Was Missing Emergency Forms for 3 Children.**
13A.15.03.04A(1)
- **At the Time of the Inspection, a Gate Was Missing at the Bottom of the Stairs Leading to the Upper Level of the Home. The Provider Has a Gate at the Access Way Between the Main Child Care Room and the Back Room That Has the Bathroom. the Stairs Are on the Other Side of the Gate and Are Accessible Wh**
13A.15.05.04B(2)
- **At the Time of the Inspection the Shed Was Open and the Children Have Access to the Grill in the Back Yard.**
13A.15.05.05A
- **When Specialist Arrived, Provider's Hair Was Wet and She Stated She Put a Hair Treatment on While the Children Were Playing.**
13A.15.08.01B(4)
- **When Specialist Arrived, Provider's Hair Was Wet and She Stated She Put a Hair Treatment on While the Children Were Playing.**
13A.15.08.01B(5)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of the Inspection, Specialist Observed a Bottle of Spray and Wash in the Bathroom Accessible to Children in Care, Scissors on a Cabinet Accessible to Children and a Bottle of Alcohol on a Cabinet Within Reach of Children in the Back Room. The Backroom Is Used as Access to the Bathroom An**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.