

Calvert Nursery School

Church Street
Prince Frederick, MD

3 Inspection Visits Since 2023 · 13 Findings

Most recent inspection: Oct 8, 2025

● 13 Important

Across 3 inspections since 2023, the issues cited most often were Licensing Specialist Observed a Bottle of Benedryl in a Child's Book Bag During Inspection Today That Was Not Labeled with the Child's Name. The Parent Sends This with an Auvi-Q Injectable with the Child to the Program Every Day and Takes It Home Every Day. Center Will Return This to the Parent An (2), Several Children's Emergency Forms Are Missing Their Health Care Provider's Information. One Child Is Missing an Authorized Daily Pick Up Person and Two Children Are Missing an Emergency Contact on Their Forms. Please Obtain From Parents and Add to Children's Files. Please Send Copies to Licensing (1), and During the Inspection Today, the Licensing Specialist Observed Some Chipping Paint on the Classroom Door and Around the Vent Above the Door. Since the Building Was Built Prior to 1978 and Is Not Certified Lead Free, the Center Will Have to Have a Lead Test Completed. LS Will Send a Link to the Mar (1). None of the 13 findings were critical.

Inspection Visits

Oct 8, 2025 2 Findings ● 2 Important

- **Several Children's Emergency Forms Are Missing Their Health Care Provider's Information. One Child Is Missing an Authorized Daily Pick Up Person and Two Children Are Missing an Emergency Contact on Their Forms. Please Obtain From Parents and Add to Children's Files. Please Send Copies to Licensing**
13A.16.03.04C
- **During the Inspection Today, the Licensing Specialist Observed Some Chipping Paint on the Classroom Door and Around the Vent Above the Door. Since the Building Was Built Prior to 1978 and Is Not Certified Lead Free, the Center Will Have to Have a Lead Test Completed. LS Will Send a Link to the Mar**
13A.16.05.05C(1)

Oct 15, 2024 1 Finding ● 1 Important

- **The Director Completed the 2023 BHS Update Late. No Correction Needed. Center Is Reminded Both Teachers Should Complete the New 2024 BHS Update No Later Than December 31, 2024.**
13A.16.06.05C(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Oct 18, 2023 10 Findings ● 10 Important

- **Two Children, EE and PS, Did Not Have Part 2 of the Health Inventory (Completed by a Health Care Provider) in Their Files During the Inspection. Please Obtain From Parents and Add to Files. Send Copies to Licensing Specialist.**
13A.16.03.04D(3)
- **There Are Two Children, EE and PS, Who Meet the Birthdate Requirement for Blood Lead Testing and There Were No Results on File at the Inspection. Please Obtain These Test Results or Documentation From the Health Care Provider as to Why Testing Is Not Needed and Add to Children's Files. Please Send**
13A.16.03.04E
- **Two Children, EE and PS, Did Not Have Immunization Records in Their Files During the Inspection.- Please Obtain From Parents and Add to Files. Send Copies to Licensing Specialist.**
13A.16.03.04G
- **The Exhaust Fans in the Children's Bathroom and the Hallway Bathroom Designated for Staff Do Not Appear to Be Operating. Please Contact Church Maintenance to Inquire About Repairing the Fans. Please Send Written Correction to Licensing Specialist.**
13A.16.05.08G(3)
- **The Emergency Disaster Has Not Been Updated Annually. Please Review the Plan, Make Changes if Necessary, and Initial and Date the Plan to Show the Plan Has Been Reviewed and Updated if Needed. Please Send Copy of Update to Licensing Specialist.**
13A.16.10.01A(3)(d)
- **There Was No Triangle Bandage in the First Aid Kit During Inspection Today. Please Obtain This Item and Add It to the First Aid Kit. Please Send Photo or Copy of Receipt to Licensing Specialist.**
13A.16.10.02E
- **Licensing Specialist Observed Auvi-Q Injectables in a Child's Bookbag During Inspection Today. This Injectable Was Not in the Original Pharmacy Labeled Box. COMAR Regulations Require That All Prescription Medication Be Labeled by the Pharmacy or Physician. Center Should Return This Item to the Pa**
13A.16.11.04A(3)
- **Licensing Specialist Observed a Bottle of Benedryl in a Child's Book Bag During Inspection Today That Was Not Labeled with the Child's Name. The Parent Sends This with an Auvi-Q Injectable with the Child to the Program Every Day and Takes It Home Every Day. Center Will Return This to the Parent An**
13A.16.11.04E(1)(a)
- **Licensing Specialist Observed a Zipper Bag with Benedryl and Auvi-Q Injectables, Inside a Child's Book Bag, During the Inspection Today. The Bookbag Was Hanging in a Cubby, Which Was Accessible to Children in the Classroom. Center Is Reminded That All Medication and Other Potentially Hazardous Ite**
13A.16.11.04E(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Did Not Observe Any Cumulative Records in the 3 Year Old Children's Files That Were Reviewed Today. All Children Enrolled Must Have a Cumulative Record in Their Files, Which Includes All Items Under COMAR 13A.16.16.08B. Staff Should Complete Cumulative Records for All Children**

13A.16.16.08A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.