

# ROBINSON, JACKIE CONSTANCE

3344 MINNESOTA AVE  
ST LOUIS, MO

## 2 Inspection Visits Since 2026 - 5 Findings

Most recent inspection: Apr 28, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Had Openings Large Enough for a Child to Crawl or Fall Through - the Opening Measured 10 Inches at the Bottom of the Gate at the Stairs Faci (4) and The Family Care Safety Registry Check Was Not Conducted for Jackie Robinson, Nicole Robinson, and Ann Hopgood Within Thirty (30) Days Prior to the Anniversary Date. (1). None of the 5 findings were critical.

## Inspection Visits

**Apr 28, 2026** 4 Findings ● 4 Important

- **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Had Openings Large Enough for a Child to Crawl or Fall Through - the Opening Measured 10 Inches at the Bottom of the Gate at the Stairs Faci**  
5 CSR 25-400.085 Physical Requirements of the Family Day Care Home
- **The Fall-zone Area Under and Around Outdoor Equipment Where Children Might Fall and Be Injured Was Not Covered with Impact-absorbing Materials to Cushion a Fall as Evidenced by the Resilient Material Used Is Unapproved as Evidenced by a See-saw, Slide and Plastic Stairs for Climbing Were Observed Si**  
5 CSR 25-400.085 Physical Requirements of the Family Day Care Home
- **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Had Openings Large Enough for a Child to Crawl or Fall Through - the Opening Measured 10 Inches at the Bottom of the Gate at the Stairs Faci**  
5 CSR 25-400.085 Physical Requirements of the Family Day Care Home
- **The Fall-zone Area Under and Around Outdoor Equipment Where Children Might Fall and Be Injured Was Not Covered with Impact-absorbing Materials to Cushion a Fall as Evidenced by the Resilient Material Used Is Unapproved as Evidenced by a See-saw, Slide and Plastic Stairs for Climbing Were Observed Si**  
5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

### About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

**Feb 2, 2026** 1 Finding ● 1 Important

- **The Family Care Safety Registry Check Was Not Conducted for Jackie Robinson, Nicole Robinson, and Ann Hopgood Within Thirty (30) Days Prior to the Anniversary Date.**

5 CSR 25-400.055 Annual Requirements

#### About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.