

NURTURED GROWTH CHILDCARE INC.

5751 PARKSIDE VILLAGE CT
OSAGE BEACH, MO

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Feb 17, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Sleeping Equipment Was Not Arranged to Provide Required Spacing as Evidenced by the Aisle on the Long Side of the Napping Equipment Was Too Narrow - the Space Measured 1 Ft. (2), Criminal Background Check Results Were Not on File for Molly Felten, Kaelyn Winters , and Deanna King. (2), and Requirements of 19 CSR 30-62.087 Fire Safety Were Not Met as Evidenced by Fire Drills Were Not Held at Least One Time Each Month. (1). None of the 5 findings were critical.

Inspection Visits

Feb 17, 2026 2 Findings ● 2 Important

- **Sleeping Equipment Was Not Arranged to Provide Required Spacing as Evidenced by the Aisle on the Long Side of the Napping Equipment Was Too Narrow - the Space Measured 1 Ft.**

5 CSR 25-500.092 Furniture, Equipment and Materials

- **Sleeping Equipment Was Not Arranged to Provide Required Spacing as Evidenced by the Aisle on the Long Side of the Napping Equipment Was Too Narrow - the Space Measured 1 Ft.**

5 CSR 25-500.092 Furniture, Equipment and Materials

Oct 23, 2025 2 Findings ● 2 Important

- **Criminal Background Check Results Were Not on File for Molly Felten, Kaelyn Winters , and Deanna King.**

5 CSR 25-600.020 General Requirements

- **Criminal Background Check Results Were Not on File for Molly Felten, Kaelyn Winters , and Deanna King.**

5 CSR 25-600.020 General Requirements

Oct 16, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **Requirements of 19 CSR 30-62.087 Fire Safety Were Not Met as Evidenced by Fire Drills Were Not Held at Least One Time Each Month.**

5 CSR 25-500.087 Fire Safety

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.