

# PERPETUAL LIFE CHURCH DAYCARE

1400 PARK AVE  
ST LOUIS, MO

## 3 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Feb 10, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Requirements for Immunization Reports on File Were Not Met as Evidenced by an Immunization Record Was Not on File the First Day a Child Attended and There Was No Exemption on File. (4) and The Walls Located in the Infant Room and the Non-occupied Infant Room Was/were Not in Good Condition as Evidenced by There Was Chipping Red Paint Near the Corner Over the Changing Table, and There Was an Area of Pink Chipping Paint Near the Exit. (1). None of the 5 findings were critical.

## Inspection Visits

**Feb 10, 2026** 2 Findings ● 2 Important

● **Requirements for Immunization Reports on File Were Not Met as Evidenced by an Immunization Record Was Not on File the First Day a Child Attended and There Was No Exemption on File.**

5 CSR 25-300.050 Health Requirements

● **Requirements for Immunization Reports on File Were Not Met as Evidenced by an Immunization Record Was Not on File the First Day a Child Attended and There Was No Exemption on File.**

5 CSR 25-300.050 Health Requirements

**Feb 9, 2026** 2 Findings ● 2 Important

● **Requirements for Immunization Reports on File Were Not Met as Evidenced by an Immunization Record Was Not on File the First Day a Child Attended and There Was No Exemption on File.**

5 CSR 25-300.050 Health Requirements

● **Requirements for Immunization Reports on File Were Not Met as Evidenced by an Immunization Record Was Not on File the First Day a Child Attended and There Was No Exemption on File.**

5 CSR 25-300.050 Health Requirements

**Apr 4, 2025** 1 Finding ● 1 Important

### About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **The Walls Located in the Infant Room and the Non-occupied Infant Room Was/were Not in Good Condition as Evidenced by There Was Chipping Red Paint Near the Corner Over the Changing Table, and There Was an Area of Pink Chipping Paint Near the Exit.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 1 (F)

#### **About this report**

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.