

CANAMORE, MARTHA

3053 MARCUS AVE
ST LOUIS, MO

1 Inspection Visit Since 2025 - 5 Findings

Most recent inspection: Oct 29, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Had Openings That Were Between 3.5 and 9 Inches and Allow Entrapment - the Openings Measured Approximately 7 Inches Tall and 12 Inches Wide (2), The Licensing Representative Did Not Have Access to the Entire Premises as Evidenced by the Provider Would Not Allow CI and CIS Supervisor to Access the Upstairs of the Facility. (1), and The Annual Sanitation Inspection Was Not Approved. (1). None of the 5 findings were critical.

Inspection Visits

Oct 29, 2025 5 Findings ● 5 Important

● **The Licensing Representative Did Not Have Access to the Entire Premises as Evidenced by the Provider Would Not Allow CI and CIS Supervisor to Access the Upstairs of the Facility.**

5 CSR 25-400.045 Licensing Process

● **The Annual Sanitation Inspection Was Not Approved.**

5 CSR 25-400.055 Annual Requirements

● **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Had Openings That Were Between 3.5 and 9 Inches and Allow Entrapment - the Openings Measured Approximately 7 Inches Tall and 12 Inches Wide**

5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

● **Hazardous Items as Follows Were Accessible to Children: Cleaning Supplies. The Item(s) Was/were Located in a Cabinet Under the Kitchen Sink and There Was No Lock on the Sink Cabinets.**

5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

● **The Facility's Disaster and Emergency Plan Was Not Available in Each Room Used for Child Care as Evidenced by There Was No Disaster and Emergency Plan in the Second Classroom.**

5 CSR 25-400.090 Disaster and Emergency Preparedness

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.