

MILLER, JULIE

209 HAVRE ST
KING CITY, MO

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Jan 5, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were The Equipment List Was Not Submitted. (5). None of the 5 findings were critical.

Inspection Visits

Jan 5, 2026 5 Findings ● 5 Important

● **The Equipment List Was Not Submitted.**

5 CSR 25-400.055 Annual Requirements

● **The Listing of Household Members and Assistants Was Not Submitted.**

5 CSR 25-400.055 Annual Requirements

● **The Annual Declaration Was Not Submitted.**

5 CSR 25-400.055 Annual Requirements

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-400.055 Annual Requirements

● **The Family Care Safety Registry Check Was Not Conducted for Julie Miller and Gina Muff Within Thirty (30) Days Prior to the Anniversary Date.**

5 CSR 25-400.055 Annual Requirements

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.