

DELIGHTFUL DAYS TLC 2

2801 SIDNEY ST
ST LOUIS, MO

1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: Jan 5, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Hazardous Items as Follows Were Accessible to Children: Two Bottles of Lysol, a Bottle of Pine Sol and Sanitizing Wipes. The Item(s) Was/were Located in the Kitchen on a Lower Shelf and the Kitchen Door Was Open. There Was No One in the Kitchen. (4) and Furniture/equipment, an Activity Mat, in the I/T Unit Was Not in Good Condition as Evidenced by the Clear Protective Outer Layer Was Peeling and Missing in Areas. (1). None of the 5 findings were critical.

Inspection Visits

Jan 5, 2026 5 Findings ● 5 Important

- **Hazardous Items as Follows Were Accessible to Children: Two Bottles of Lysol, a Bottle of Pine Sol and Sanitizing Wipes. The Item(s) Was/were Located in the Kitchen on a Lower Shelf and the Kitchen Door Was Open. There Was No One in the Kitchen.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

- **The Fall-zone Area Under and Around Outdoor Equipment Where Children Might Fall and Be Injured Was Not Covered with Impact-absorbing Materials to Cushion a Fall as Evidenced by Resilient Material Was Not Uniformly Spread Over the Fall-zone Area.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

- **Hazardous Items as Follows Were Accessible to Children: A Bottle of Bleach. The Item(s) Was/were Located Under the Sink in the Bathroom in the I/T Unit.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

- **Hazardous Items as Follows Were Accessible to Children: Two Bottles of Lysol, a Bottle of Pine Sol and Sanitizing Wipes. The Item(s) Was/were Located in the Kitchen on a Lower Shelf and the Kitchen Door Was Open. There Was No One in the Kitchen.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

- **Furniture/equipment, an Activity Mat, in the I/T Unit Was Not in Good Condition as Evidenced by the Clear Protective Outer Layer Was Peeling and Missing in Areas.**

5 CSR 25-500.092 Furniture, Equipment and Materials

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.