

OVERSTREET, MELISSA

503 W 3RD ST
LAMAR, MO

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Nov 17, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were The Annual Sanitation Inspection Was Not Conducted. (3) and The Swimming/wading Pool Was Accessible to Children as Evidenced by the Gate Was Not Locked. (2). None of the 5 findings were critical.

Inspection Visits

Nov 17, 2025 2 Findings ● 2 Important

- **The Swimming/wading Pool Was Accessible to Children as Evidenced by the Gate Was Not Locked.**
5 CSR 25-400.085 Physical Requirements of the Family Day Care Home
- **The Swimming/wading Pool Was Accessible to Children as Evidenced by the Gate Was Not Locked.**
5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

Jul 26, 2024 2 Findings ● 2 Important

- **The Annual Sanitation Inspection Was Not Conducted.**
5 CSR 25-400.055 Annual Requirements
- **The Annual Sanitation Inspection Was Not Conducted.**
5 CSR 25-400.055 Annual Requirements

May 30, 2024 1 Finding ● 1 Important

- **The Annual Sanitation Inspection Was Not Conducted.**
5 CSR 25-400.055 Annual Requirements

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.