

# DOWNTOWN CHILDREN'S CENTER

607 N 22ND ST  
ST LOUIS, MO

## 3 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Jan 14, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were The Facility's Disaster and Emergency Plan Was Not Available in Each Room Used for Childcare as Evidenced by Two Classrooms Did Not Have a Copy of the Disaster and Emergency Plan Available. (4) and The Annual Fire Safety Inspection Was Not Approved. (1). None of the 5 findings were critical.

## Inspection Visits

**Jan 14, 2026** 2 Findings ● 2 Important

- **The Facility's Disaster and Emergency Plan Was Not Available in Each Room Used for Childcare as Evidenced by Two Classrooms Did Not Have a Copy of the Disaster and Emergency Plan Available.**  
5 CSR 25-500.090 Disaster and Emergency Preparedness
- **The Facility's Disaster and Emergency Plan Was Not Available in Each Room Used for Childcare as Evidenced by Two Classrooms Did Not Have a Copy of the Disaster and Emergency Plan Available.**  
5 CSR 25-500.090 Disaster and Emergency Preparedness

**Jan 13, 2026** 2 Findings ● 2 Important

- **The Facility's Disaster and Emergency Plan Was Not Available in Each Room Used for Childcare as Evidenced by Two Classrooms Did Not Have a Copy of the Disaster and Emergency Plan Available.**  
5 CSR 25-500.090 Disaster and Emergency Preparedness
- **The Facility's Disaster and Emergency Plan Was Not Available in Each Room Used for Childcare as Evidenced by Two Classrooms Did Not Have a Copy of the Disaster and Emergency Plan Available.**  
5 CSR 25-500.090 Disaster and Emergency Preparedness

**Oct 21, 2025** 1 Finding ● 1 Important

### About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **The Annual Fire Safety Inspection Was Not Approved.**  
5 CSR 25-500.052 Annual Requirements

#### About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.