

JEFFERSON COLLEGE

1000 VIKING DR
HILLSBORO, MO

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Nov 5, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Height of the Fence Was Less Than 42 Inches High - the Measured Height Was 36-38 Inches in the Back Left Corner of the School Age Playground, Spec (5). None of the 5 findings were critical.

Inspection Visits

Nov 5, 2025 5 Findings ● 5 Important

- **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Height of the Fence Was Less Than 42 Inches High - the Measured Height Was 36-38 Inches in the Back Left Corner of the School Age Playground, Spec**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by Unknown Weeds Are Growing Through the Fence on the School Age Playground, Specifically Through the Front Left Corner.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by Unknown Weeds Are Growing Through the Fence on the School Age Playground, Specifically Through the Fence Panel Near the Back Right Corner Along the Basketball Court.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by Unknown Weeds Are Growing Through the Fence on the Preschool Playground, Specifically Through the Fence Panel to the Left of the Block Storage Cabinet.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Height of the Fence Was Less Than 42 Inches High - the Measured Height Was 36-38 Inches in the Back Left Corner of the School Age Playground, Spec**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.