

WILLIAMSON, BRANDY

1332 LINDA CIR
LEBANON, MO

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Aug 19, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were The Ages of Children Was/were Exceeded as Evidenced by One Child Not Related to a Provider Was a Nine Years Old. The Age Limitation on License Is Birth to 8 Years Old. (2), The Facility's Outdoor Space Was Not Safe/well-maintained for Children's Activities as Evidenced by There Were Used Dirty Kleenexes on the Ground That Can Pose Contamination of Germs Hazards. (2), and The Facility's Disaster and Emergency Plan Was Not Available in Each Room Used for Child Care as Evidenced by Upstairs Kitchen and Living Room Had No Emergency Plan Available. (1). None of the 5 findings were critical.

Inspection Visits

Aug 19, 2025 2 Findings ● 2 Important

- **The Ages of Children Was/were Exceeded as Evidenced by One Child Not Related to a Provider Was a Nine Years Old. The Age Limitation on License Is Birth to 8 Years Old.**

5 CSR 25-400.045 Licensing Process

- **The Ages of Children Was/were Exceeded as Evidenced by One Child Not Related to a Provider Was a Nine Years Old. The Age Limitation on License Is Birth to 8 Years Old.**

5 CSR 25-400.045 Licensing Process

Feb 3, 2025 3 Findings ● 3 Important

- **The Facility's Outdoor Space Was Not Safe/well-maintained for Children's Activities as Evidenced by There Were Used Dirty Kleenexes on the Ground That Can Pose Contamination of Germs Hazards.**

5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

- **The Facility's Outdoor Space Was Not Safe/well-maintained for Children's Activities as Evidenced by There Were Used Dirty Kleenexes on the Ground That Can Pose Contamination of Germs Hazards.**

5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **The Facility's Disaster and Emergency Plan Was Not Available in Each Room Used for Child Care as Evidenced by Upstairs Kitchen and Living Room Had No Emergency Plan Available.**

5 CSR 25-400.090 Disaster and Emergency Preparedness

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.