

MCCRACKEN, SHALA

2060 FARM ROAD 2130

EXETER, MO

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jun 9, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were The Annual Fire Safety Inspection Was Not Conducted. (3) and Requirements of Facility's Participation in Disaster and Emergency Drills Were Not Met as Evidenced by the Disaster or Emergency Drill Was Not Held at Least One Time Every Three Months. (2). None of the 5 findings were critical.

Inspection Visits

Jun 9, 2025 2 Findings ● 2 Important

- **Requirements of Facility's Participation in Disaster and Emergency Drills Were Not Met as Evidenced by the Disaster or Emergency Drill Was Not Held at Least One Time Every Three Months.**

5 CSR 25-400.090 Disaster and Emergency Preparedness

- **Requirements of Facility's Participation in Disaster and Emergency Drills Were Not Met as Evidenced by the Disaster or Emergency Drill Was Not Held at Least One Time Every Three Months.**

5 CSR 25-400.090 Disaster and Emergency Preparedness

Jun 18, 2024 2 Findings ● 2 Important

- **The Annual Fire Safety Inspection Was Not Conducted.**

5 CSR 25-400.055 Annual Requirements

- **The Annual Fire Safety Inspection Was Not Conducted.**

5 CSR 25-400.055 Annual Requirements

Jun 12, 2024 1 Finding ● 1 Important

- **The Annual Fire Safety Inspection Was Not Conducted.**

5 CSR 25-400.055 Annual Requirements

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.