

# RIGHT AT SCHOOL, LLC

102 FEE FEE RD  
MARYLAND HEIGHTS, MO

## 2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Mar 5, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were The Facility's Evacuation Route Diagram Was Not Posted in Each Room. (2), The Facility Did Not Meet Requirements for Child Enrollment and Health Information as Evidenced by 3 Children's Files Did Not Have Authorization for Emergency Medical Care. (2), and A Medical Examination Report Was Not on File Within 30 Days of Admission and There Was No Parent's Signed Religious Objection. (1). None of the 5 findings were critical.

## Inspection Visits

**Mar 5, 2026** 2 Findings ● 2 Important

● **The Facility's Evacuation Route Diagram Was Not Posted in Each Room.**

5 CSR 25-500.090 Disaster and Emergency Preparedness

● **The Facility's Evacuation Route Diagram Was Not Posted in Each Room.**

5 CSR 25-500.090 Disaster and Emergency Preparedness

**Nov 13, 2025** 3 Findings ● 3 Important

● **A Medical Examination Report Was Not on File Within 30 Days of Admission and There Was No Parent's Signed Religious Objection.**

5 CSR 25-500.122 Medical Examination Reports

● **The Facility Did Not Meet Requirements for Child Enrollment and Health Information as Evidenced by 3 Children's Files Did Not Have Authorization for Emergency Medical Care.**

5 CSR 25-500.132 Admission Policies and Procedures

● **The Provider Did Not Have Parental Acknowledgement on File Indicating the Parent Received a Copy of the Provider's Policies.**

5 CSR 25-500.132 Admission Policies and Procedures

### About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.