

UNLEASHING POTENTIAL

6761 BARTMER AVE
ST LOUIS, MO

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Apr 13, 2026



● 5 Important

Across 2 inspections since 2025, the issues cited most often were The Facility Does Not Have an Approved Director on Staff. (3) and The Equipment List Was Not Submitted. (2). None of the 5 findings were critical.

Inspection Visits

Apr 13, 2026 2 Findings ● 2 Important

● **The Facility Does Not Have an Approved Director on Staff.**

5 CSR 25-500.102 Personnel

● **The Facility Does Not Have an Approved Director on Staff.**

5 CSR 25-500.102 Personnel

Dec 17, 2025 3 Findings ● 3 Important

● **The Equipment List Was Not Submitted.**

5 CSR 25-500.052 Annual Requirements

● **The Annual Declaration Was Not Submitted.**

5 CSR 25-500.052 Annual Requirements

● **A Facility Orientation Was Not Conducted for a Caregiver(s) Before Being Left Alone with Children. The Following Staff Need a Facility Orientation: Clarence Wynn**

5 CSR 25-500.102 Personnel

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.