

CHRIST EARLY LEARNING CENTER

14506 E 39TH ST
INDEPENDENCE, MO

2 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Jul 9, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were The Facility Did Not Meet Requirements for Requests/results of a Check of the Family Care Safety Registry. A Background Check on File Is Older Than Two Years for the Following Staff Member(s): Alanah Srader. (4) and Requirements of 19 CSR 30-60.080 Fire Safety Were Not Met as Evidenced by Fire Drills Were Not Held at Least One Time Every Three Months. (1). None of the 5 findings were critical.

Inspection Visits

Jul 9, 2025 4 Findings ● 4 Important

● **The Facility Did Not Meet Requirements for Requests/results of a Check of the Family Care Safety Registry. A Background Check on File Is Older Than Two Years for the Following Staff Member(s): Alanah Srader.**

5 CSR 25-300.040 Staffing Requirements

● **The Facility Did Not Meet Requirements for Requests/results of a Check of the Family Care Safety Registry. A Background Check on File Is Older Than Two Years for the Following Staff Member(s): Alanah Srader.**

5 CSR 25-300.040 Staffing Requirements

● **The Facility Did Not Meet Requirements for Requests/results of a Check of the Family Care Safety Registry. A Background Check on File Is Older Than Two Years for the Following Staff Member(s): Alanah Srader.**

5 CSR 25-300.040 Staffing Requirements

● **The Facility Did Not Meet Requirements for Requests/results of a Check of the Family Care Safety Registry. A Background Check on File Is Older Than Two Years for the Following Staff Member(s): Alanah Srader.**

5 CSR 25-300.040 Staffing Requirements

Jul 26, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

● **Requirements of 19 CSR 30-60.080 Fire Safety Were Not Met as Evidenced by Fire Drills Were Not Held at Least One Time Every Three Months.**

5 CSR 25-300.070 Fire Safety Requirements

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.