

OZARK ACTION, INC.

218 BULLDOG DR
GAINESVILLE, MO

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Jan 23, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by Tree Roots Exposed in the Fall Zone of the Climbing Piece of Equipment . (4) and Requirements of 19 CSR 30-62.087 Fire Safety Were Not Met as Evidenced by the Evacuation Time Was Not Recorded. (1). None of the 5 findings were critical.

Inspection Visits

Jan 23, 2026 5 Findings ● 5 Important

- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by Tree Roots Exposed in the Fall Zone of the Climbing Piece of Equipment .**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Observed Surface Area Under Red Slide, From Which a Child Might Fall Consists of Bare Soil.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by Tree Roots Exposed in the Fall Zone of the Climbing Piece of Equipment .**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Observed Surface Area Under Red Slide, From Which a Child Might Fall Consists of Bare Soil.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **Requirements of 19 CSR 30-62.087 Fire Safety Were Not Met as Evidenced by the Evacuation Time Was Not Recorded.**
5 CSR 25-500.087 Fire Safety

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.