

MID RIVERS DAY CARE

349 MID RIVERS MALL DR
ST PETERS, MO

2 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: Jan 21, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Had Openings Large Enough for a Child to Crawl or Fall Through - the Openings Measured Approximately 10 Inches in the Rear Corner of the I/T (3) and Safe Sleep Training Was Not Completed Within the Past 3 Years for the Following Staff Theresa Siebel. (2). None of the 5 findings were critical.

Inspection Visits

Jan 21, 2026 4 Findings ● 4 Important

- **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Had Openings Large Enough for a Child to Crawl or Fall Through - the Openings Measured Approximately 10 Inches in the Rear Corner of the I/T**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Had Openings Large Enough for a Child to Crawl or Fall Through - the Openings Measured Approximately 10 Inches in the Rear Corner of the I/T**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **Safe Sleep Training Was Not Completed Within the Past 3 Years for the Following Staff Theresa Siebel.**
5 CSR 25-500.102 Personnel
- **Safe Sleep Training Was Not Completed Within the Past 3 Years for the Following Staff Theresa Siebel.**
5 CSR 25-500.102 Personnel

Jan 20, 2026 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Had Openings Large Enough for a Child to Crawl or Fall Through - the Openings Measured Approximately 10 Inches in the Rear Corner of the I/T**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.