

NATURAL BRAINIACS, LLC

4344 CYPRESS RD
ST ANN, MO

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Jul 11, 2025



● 5 Important

Across 2 inspections since 2025, the issues cited most often were The Annual Fire Safety Inspection Was Not Approved. (5). None of the 5 findings were critical.

Inspection Visits

Jul 11, 2025 4 Findings ● 4 Important

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-400.055 Annual Requirements

● **The Family Care Safety Registry Check Was Not Conducted for Aknika Rhodes Within Thirty (30) Days Prior to the Anniversary Date.**

5 CSR 25-400.055 Annual Requirements

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-400.055 Annual Requirements

● **The Family Care Safety Registry Check Was Not Conducted for Aknika Rhodes Within Thirty (30) Days Prior to the Anniversary Date.**

5 CSR 25-400.055 Annual Requirements

Jul 2, 2025 1 Finding ● 1 Important

● **The Equipment List Was Not Submitted.**

5 CSR 25-400.055 Annual Requirements

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.