

HANKE, EMILY ANN

202 E THIRD ST
SALISBURY, MO

2 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Oct 7, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were The Annual Declaration Was Not Submitted. (2), Requirements of 19 CSR 30-61.086 Fire Safety Were Not Met as Evidenced by the Date of the Drill Was Not Recorded. (2), and The Facility's Outdoor Space Was Not Safe/well-maintained for Children's Activities as Evidenced by the Fence Is Over 42 Inches Tall but Is Not Secured. A Child Could Push Through It. . (1). None of the 5 findings were critical.

Inspection Visits

Oct 7, 2025 4 Findings ● 4 Important

● **The Annual Declaration Was Not Submitted.**
5 CSR 25-400.055 Annual Requirements

● **The Annual Declaration Was Not Submitted.**
5 CSR 25-400.055 Annual Requirements

● **Requirements of 19 CSR 30-61.086 Fire Safety Were Not Met as Evidenced by the Date of the Drill Was Not Recorded.**
5 CSR 25-400.086 Fire Safety

● **Requirements of 19 CSR 30-61.086 Fire Safety Were Not Met as Evidenced by the Date of the Drill Was Not Recorded.**
5 CSR 25-400.086 Fire Safety

Oct 22, 2024 1 Finding ● 1 Important

● **The Facility's Outdoor Space Was Not Safe/well-maintained for Children's Activities as Evidenced by the Fence Is Over 42 Inches Tall but Is Not Secured. A Child Could Push Through It. .**
5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.