

CHILDREN'S LEARNING CENTER

2713 CAPETOWN VILLAGE RD
HIGH RIDGE, MO

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Mar 5, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were The Premises Were Not Safe and Suitable as Evidenced by the Chest Freezer in the Kitchen Did Not Lock/latch. (3), The Annual Fire Safety Inspection Was Not Approved. (1), and Requirements of 19 CSR 30-62.087 Fire Safety Were Not Met as Evidenced by Fire Drills Were Not Held at Least One Time Each Month. (1). None of the 5 findings were critical.

Inspection Visits

Mar 5, 2026 5 Findings ● 5 Important

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-500.052 Annual Requirements

● **The Premises Were Not Safe and Suitable as Evidenced by the Chest Freezer in the Kitchen Did Not Lock/latch.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

● **Children Were Not Restricted to Approved Space as Evidenced by the Laundry Room Was Not Locked/latched.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

● **Hazardous Items as Follows Were Accessible to Children: Caldesene Powder. The Item(s) Was/were Located Under the Changing Table in the Preschool Room.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

● **Requirements of 19 CSR 30-62.087 Fire Safety Were Not Met as Evidenced by Fire Drills Were Not Held at Least One Time Each Month.**

5 CSR 25-500.087 Fire Safety

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.