

WILD ROOTS PLAYSCHOOL

2511 SW CLINTON ST
OAK GROVE, MO

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Dec 31, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were The Walls Located in the Bathroom Was/were Not in Good Condition as Evidenced by Two Holes in the Wall Where the Towel Rack Came Out. (4) and Two Child(ren) Records Did Not Include Date Care Begins and Ends. (1). None of the 5 findings were critical.

Inspection Visits

Dec 31, 2025 2 Findings ● 2 Important

- **The Walls Located in the Bathroom Was/were Not in Good Condition as Evidenced by Two Holes in the Wall Where the Towel Rack Came Out.**
5 CSR 25-400.085 Physical Requirements of the Family Day Care Home
- **The Walls Located in the Bathroom Was/were Not in Good Condition as Evidenced by Two Holes in the Wall Where the Towel Rack Came Out.**
5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

Dec 3, 2025 3 Findings ● 3 Important

- **The Walls Located in the Bathroom Was/were Not in Good Condition as Evidenced by Two Holes in the Wall Where the Towel Rack Came Out.**
5 CSR 25-400.085 Physical Requirements of the Family Day Care Home
- **The Walls Located in the Bathroom Was/were Not in Good Condition as Evidenced by Two Holes in the Wall Where the Towel Rack Came Out.**
5 CSR 25-400.085 Physical Requirements of the Family Day Care Home
- **Two Child(ren) Records Did Not Include Date Care Begins and Ends.**
5 CSR 25-400.210 Records and Reports

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.