

LADUE CHAPEL NURSERY SCHOOL

9450 CLAYTON RD
LADUE, MO

2 Inspection Visits Since 2026 - 5 Findings

Most recent inspection: Mar 5, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were Requirements for Fire Safety Inspection Were Not Met as Evidenced by the Inspection Has Not Been Conducted. (3) and The Facility Did Not Meet Requirements for Child Enrollment and Health Information on File as Evidenced by One Child Files Did Not Have the Name, Address and Telephone Number of Another Individual (Friend or Relative) Who Might Be Reached in an Emergency. (2). None of the 5 findings were critical.

Inspection Visits

Mar 5, 2026 2 Findings ● 2 Important

● **Requirements for Fire Safety Inspection Were Not Met as Evidenced by the Inspection Has Not Been Conducted.**

RSMo 252. Fire, safety, health and sanitation inspections, procedures - variances to rules granted when - rules authoriz

● **Requirements for Fire Safety Inspection Were Not Met as Evidenced by the Inspection Has Not Been Conducted.**

RSMo 252. Fire, safety, health and sanitation inspections, procedures - variances to rules granted when - rules authoriz

Mar 4, 2026 3 Findings ● 3 Important

● **The Facility Did Not Meet Requirements for Child Enrollment and Health Information on File as Evidenced by One Child Files Did Not Have the Name, Address and Telephone Number of Another Individual (Friend or Relative) Who Might Be Reached in an Emergency.**

5 CSR 25-300.110 Admission Procedures and Required Reports and Records 2 (C)

● **The Facility Did Not Meet Requirements for Child Enrollment and Health Information on File as Evidenced by Four Child Files Did Not Have the Name and Phone Number of the Family Physician, or Hospital, or Both.**

5 CSR 25-300.110 Admission Procedures and Required Reports and Records 2 (D)

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **Requirements for Fire Safety Inspection Were Not Met as Evidenced by the Inspection Has Not Been Conducted.**

RSMo 252. Fire, safety, health and sanitation inspections, procedures - variances to rules granted when - rules authoriz

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.