

KINGS KIDS PREP ACADEMY

915 N TAYLOR AVE
ST LOUIS, MO

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Apr 15, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Hazardous Items as Follows Were Accessible to Children: Lysol Spray, Wood Cleaner Spray . The Item(s) Was/were Located the Sink in the Boys Bathroom. (4) and The Facility Did Not Meet Requirements for Child Enrollment and Health Information on File as Evidenced by 1 Child Files Did Not Have the Name, Address and Telephone Number of Another Individual (Friend or Relative) Who Might Be Reached in an Emergency. (1). None of the 5 findings were critical.

Inspection Visits

Apr 15, 2026 2 Findings ● 2 Important

● **Hazardous Items as Follows Were Accessible to Children: Lysol Spray, Wood Cleaner Spray . The Item(s) Was/were Located the Sink in the Boys Bathroom.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 1 (D)

● **Hazardous Items as Follows Were Accessible to Children: Lysol Spray, Wood Cleaner Spray . The Item(s) Was/were Located the Sink in the Boys Bathroom.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 1 (D)

Apr 10, 2025 3 Findings ● 3 Important

● **Hazardous Items as Follows Were Accessible to Children: Bleach. The Item(s) Was/were Located in the Kitchen and the Door Was Opened.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 1 (D)

● **Hazardous Items as Follows Were Accessible to Children: Bleach. The Item(s) Was/were Located in the Kitchen and the Door Was Opened.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 1 (D)

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **The Facility Did Not Meet Requirements for Child Enrollment and Health Information on File as Evidenced by 1 Child Files Did Not Have the Name, Address and Telephone Number of Another Individual (Friend or Relative) Who Might Be Reached in an Emergency.**

5 CSR 25-300.110 Admission Procedures and Required Reports and Records 2 (C)

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.