

BLUE SPRINGS DAY SCHOOL

19702 E US HIGHWAY 40
BLUE SPRINGS, MO

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Jan 23, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Was Not in Good Condition in That a Parent Accidentally Stepped on the Gas While Parked in the Front Parking Lot, and Fence to Pre-K/School- (4) and Outdoor Equipment, Small Climber, in pre-K/school-age Playground Was Not in Good Condition as Evidenced by Broken. (1). None of the 5 findings were critical.

Inspection Visits

Jan 23, 2026 5 Findings ● 5 Important

- **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Was Not in Good Condition in That a Parent Accidentally Stepped on the Gas While Parked in the Front Parking Lot, and Fence to Pre-K/School-**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by Sharp Pieces of the Wrecked Car Are on the pre-K/school-aged Playground.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Was Not in Good Condition in That a Parent Accidentally Stepped on the Gas While Parked in the Front Parking Lot, and Fence to Pre-K/School-**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by Sharp Pieces of the Wrecked Car Are on the pre-K/school-aged Playground.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **Outdoor Equipment, Small Climber, in pre-K/school-age Playground Was Not in Good Condition as Evidenced by Broken.**
5 CSR 25-500.092 Furniture, Equipment and Materials

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.