

CENTRAL PRESBYTERIAN CHURCH PEEPS

7700 DAVIS DR
CLAYTON, MO

2 Inspection Visits Since 2026 - 5 Findings

Most recent inspection: Feb 4, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were The Facility Did Not Meet the Requirements for Exit Doors in That the Exit Door Did Not Lead Directly, or Through an Enclosed Fire-resistant Stairway, to the Outside. (2), Requirements for Fire Safety Inspection Were Not Met as Evidenced by the Inspection Was Not Approved. (2), and Children Were Not Restricted to Approved Space as Evidenced by Children Were in the Auditorium Inside the Student Center. (1). None of the 5 findings were critical.

Inspection Visits

Feb 4, 2026 4 Findings ● 4 Important

● **The Facility Did Not Meet the Requirements for Exit Doors in That the Exit Door Did Not Lead Directly, or Through an Enclosed Fire-resistant Stairway, to the Outside.**

5 CSR 25-300.070 Fire Safety Requirements

● **The Facility Did Not Meet the Requirements for Exit Doors in That the Exit Door Did Not Lead Directly, or Through an Enclosed Fire-resistant Stairway, to the Outside.**

5 CSR 25-300.070 Fire Safety Requirements

● **Requirements for Fire Safety Inspection Were Not Met as Evidenced by the Inspection Was Not Approved.**

RSMo 252. Fire, safety, health and sanitation inspections, procedures - variances to rules granted when - rules authoriz

● **Requirements for Fire Safety Inspection Were Not Met as Evidenced by the Inspection Was Not Approved.**

RSMo 252. Fire, safety, health and sanitation inspections, procedures - variances to rules granted when - rules authoriz

Jan 21, 2026 1 Finding ● 1 Important

● **Children Were Not Restricted to Approved Space as Evidenced by Children Were in the Auditorium Inside the Student Center.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 1 (A)

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.