

KIDS R KIDS - WENTZVILLE

1020 MEYER RD
WENTZVILLE, MO

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Oct 21, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were The Walls Located in the Gym Was/were Not Finished with Material Which Can Be Cleaned Easily as Evidenced by Unfinished Wall Above the Drinking Fountain. (5). None of the 5 findings were critical.

Inspection Visits

Oct 21, 2025 5 Findings ● 5 Important

- **The Walls Located in the Gym Was/were Not Finished with Material Which Can Be Cleaned Easily as Evidenced by Unfinished Wall Above the Drinking Fountain.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Had Openings That Were Between 3.5 and 9 Inches and Allow Entrapment - the Openings Measured 5 Inches Along the Bottom of the Fence. The Gap**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Had Openings That Were Between 3.5 and 9 Inches and Allow Entrapment - the Openings Measured 5 Inches at the Bottom of the Fence on the Gym**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by Standing Water in the Left Corner of the Gym Playground.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Walls Located in the Gym Was/were Not Finished with Material Which Can Be Cleaned Easily as Evidenced by Unfinished Wall Above the Drinking Fountain.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.