

OVERTON, LISA

203 S CLARK ST
MATTHEWS, MO

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Dec 2, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were The Premises Were Not Safe and Suitable as Evidenced by a Ladder and Metal Cover Were Leaning Against the House. The Items Were Located Going Toward the Playground. (3) and 1 Child(ren) Records Did Not Include Work Telephone Number of Parent(s), Guardian or Legal Custodian. (2). None of the 5 findings were critical.

Inspection Visits

Dec 2, 2025 2 Findings ● 2 Important

- **The Premises Were Not Safe and Suitable as Evidenced by a Ladder and Metal Cover Were Leaning Against the House. The Items Were Located Going Toward the Playground.**

5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

- **The Premises Were Not Safe and Suitable as Evidenced by a Ladder and Metal Cover Were Leaning Against the House. The Items Were Located Going Toward the Playground.**

5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

Nov 18, 2025 3 Findings ● 3 Important

- **The Premises Were Not Safe and Suitable as Evidenced by a Ladder and Metal Cover Were Leaning Against the House. The Items Were Located Going Toward the Playground.**

5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

- **1 Child(ren) Records Did Not Include Work Telephone Number of Parent(s), Guardian or Legal Custodian.**

5 CSR 25-400.210 Records and Reports

- **1 Child(ren) Records Did Not Include Telephone Number of Family Physician or Hospital.**

5 CSR 25-400.210 Records and Reports

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.