

# DEUTSCH EARLY CHILDHOOD CENTER

1 RABBI ALVAN D RUBIN DR  
CREVE COEUR, MO

## 1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: May 7, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Had Openings That Were Greater Than 3 1/2 Inches and Allow Entrapment - the Openings Measured Approximately Six Inches and Were Located Along the Bottom Left of the Preschool Fence Near the Gathering Circle. (5). None of the 5 findings were critical.

## Inspection Visits

**May 7, 2026** 5 Findings ● 5 Important

- **Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Had Openings That Were Greater Than 3 1/2 Inches and Allow Entrapment - the Openings Measured Approximately Six Inches and Were Located Along the Bottom Left of the Preschool Fence Near the Gathering Circle.**  
5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (A)
- **Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Had Openings That Were Greater Than 3 1/2 Inches and Allow Entrapment - the Openings Measured Six Inches and Was Located on the Small Toddler Playground at the Bottom Left Side of the Fence Near the Drain.**  
5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (A)
- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by the Presence of Two Rodent Bait Stations Were Present in the Walking Path From the Infant/toddler Classroom to the Playground.**  
5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (C)
- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by the Presence of Approximately 10 Concrete Blocks Were Scattered on the Ground by the Gaga Ball Pit Causing a Tripping Hazard.**  
5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (C)

### About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by the Presence of the Double Gate Near the Exterior of the Large Toddler Playground Is Not Securely Fastened to Prevent Children From Pushing the Gate and Allowing for Children to Get Out. The Gate Had a Bungee Cord Pr**  
5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (C)

#### **About this report**

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.