

KIDZONE CREATIONS, LLC

1001 MIDDLEBROOK DR STE A
LIBERTY, MO

2 Inspection Visits Since 2026 - 5 Findings

Most recent inspection: Feb 9, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were The Annual Fire Safety Inspection Was Not Approved. (3) and Hazardous Items as Follows Were Accessible to Children: Vaseline and Razor Tape Dispenser. The Item(s) Was/were Located in an Unlocked Drawer in the Three's Classroom. (2). None of the 5 findings were critical.

Inspection Visits

Feb 9, 2026 2 Findings ● 2 Important

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-500.052 Annual Requirements

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-500.052 Annual Requirements

Jan 28, 2026 3 Findings ● 3 Important

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-500.052 Annual Requirements

● **Hazardous Items as Follows Were Accessible to Children: Vaseline and Razor Tape Dispenser. The Item(s) Was/were Located in an Unlocked Drawer in the Three's Classroom.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

● **The Walls Located in the 3Year Old Bathroom Was/were Not in Good Condition as Evidenced by Exposed Drywall From Toilet Paper Holder.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.