

## SUNBEAM PRESCHOOL

801 HIGH ST  
IBERIA, MO

### 1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Sep 29, 2025

#### ● 5 Important

Across 1 inspection since 2025, the issues cited most often were TB Reports on File Were Older Than 24 Months for Elizabeth Baker, Stacie Howk, Trina Miller, Ernest Miller. (3), The Walls Located on the Playground Was/were Not in Good Condition as Evidenced by the Paint Is Chipping Presenting Possible Poisoning, Inhaling, Suffocating Hazards for a Small Children. (1), and The Equipment, a Swing Set, That Is Over 24 Inches High, Does Not Have Sufficient Impact Absorbing Material Present as Evidenced by the Pea Gravel Was Not Evenly Distributed Under the Swings Showing a Bare Soil . (1). None of the 5 findings were critical.

### Inspection Visits

Sep 29, 2025 5 Findings ● 5 Important

#### ● TB Reports on File Were Older Than 24 Months for Elizabeth Baker, Stacie Howk, Trina Miller, Ernest Miller.

5 CSR 25-300.050 Health Requirements

#### ● Medical Examination Reports, Including TB Testing, Were Not on File for Yessica Miller and Madeline Snoot as Evidenced by a Cleared TB Report Was Not on File for Caregivers Within 30 Days of Working in the Facility.

5 CSR 25-300.050 Health Requirements

#### ● Requirements for Children's Medical Examination Reports Were Not Met as Evidenced by There Was No Medical Examination Report on File Within 30 Days of Admission - the Admission Date(s) Was/were 12/2/2024.

5 CSR 25-300.050 Health Requirements

#### ● The Walls Located on the Playground Was/were Not in Good Condition as Evidenced by the Paint Is Chipping Presenting Possible Poisoning, Inhaling, Suffocating Hazards for a Small Children.

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 1 (F)

### About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **The Equipment, a Swing Set, That Is Over 24 Inches High, Does Not Have Sufficient Impact Absorbing Material Present as Evidenced by the Pea Gravel Was Not Evenly Distributed Under the Swings Showing a Bare Soil .**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (D)

#### About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.