

ST. LUKE'S PRESCHOOL

444 BRIGHTFIELD TRL
MANCHESTER, MO

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Oct 14, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were A Copy of the Notice of Parental Responsibility Form Was Not Submitted. (5). None of the 5 findings were critical.

Inspection Visits

Oct 14, 2025 2 Findings ● 2 Important

● **A Copy of the Notice of Parental Responsibility Form Was Not Submitted.**

5 CSR 25-300.020 Application for Annual Fire Safety and Health and Sanitation Inspections and Inspection Procedures

● **A Copy of the Notice of Parental Responsibility Form Was Not Submitted.**

5 CSR 25-300.020 Application for Annual Fire Safety and Health and Sanitation Inspections and Inspection Procedures

Oct 6, 2025 2 Findings ● 2 Important

● **A Copy of the Notice of Parental Responsibility Form Was Not Submitted.**

5 CSR 25-300.020 Application for Annual Fire Safety and Health and Sanitation Inspections and Inspection Procedures

● **A Copy of the Notice of Parental Responsibility Form Was Not Submitted.**

5 CSR 25-300.020 Application for Annual Fire Safety and Health and Sanitation Inspections and Inspection Procedures

Sep 10, 2024 1 Finding ● 1 Important

● **A Copy of the Notice of Parental Responsibility Form Was Not Submitted.**

5 CSR 25-300.020 Application for Annual Fire Safety and Health and Sanitation Inspections and Inspection Procedures

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.