

WE CARE CHILDRENS MINISTRIES

4725 NE LAKEWOOD WAY
LEES SUMMIT, MO

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Nov 7, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Medical Examination Reports, Including TB Testing, Were Not on File for Jennifer Cantrell (Medical Only) and Aide New (Medical Only) as Evidenced by the Medical Examination Was Not Signed by the Required Medical Source. (4) and The Facility Did Not Meet the Requirements for Diapering Surfaces. The Diapering Surface Was Not Washable as Evidenced by There Were Stitching and Holes on the Diaper Changing Mat. (1). None of the 5 findings were critical.

Inspection Visits

Nov 7, 2025 2 Findings ● 2 Important

● **Medical Examination Reports, Including TB Testing, Were Not on File for Jennifer Cantrell (Medical Only) and Aide New (Medical Only) as Evidenced by the Medical Examination Was Not Signed by the Required Medical Source.**

5 CSR 25-300.050 Health Requirements

● **Medical Examination Reports, Including TB Testing, Were Not on File for Jennifer Cantrell (Medical Only) and Aide New (Medical Only) as Evidenced by the Medical Examination Was Not Signed by the Required Medical Source.**

5 CSR 25-300.050 Health Requirements

Nov 6, 2025 3 Findings ● 3 Important

● **Medical Examination Reports, Including TB Testing, Were Not on File for Jennifer Cantrell (Medical Only) and Aide New (Medical Only) as Evidenced by the Medical Examination Was Not Signed by the Required Medical Source.**

5 CSR 25-300.050 Health Requirements

● **Medical Examination Reports, Including TB Testing, Were Not on File for Jennifer Cantrell (Medical Only) and Aide New (Medical Only) as Evidenced by the Medical Examination Was Not Signed by the Required Medical Source.**

5 CSR 25-300.050 Health Requirements

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **The Facility Did Not Meet the Requirements for Diapering Surfaces. The Diapering Surface Was Not Washable as Evidenced by There Were Stitching and Holes on the Diaper Changing Mat.**

5 CSR 25-300.060 Responsibilities of Caregivers 1 (F) 1

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.