

ZION LUTHERAN ECE

120 S SPRING ST
PALMYRA, MO

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: May 1, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Was Less Than 42 Inches High; The Measured Height Was 39 Inches in Two Area on the West Side of the Play Yard. (5). None of the 5 findings were critical.

Inspection Visits

May 1, 2025 2 Findings ● 2 Important

- **Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Was Less Than 42 Inches High; The Measured Height Was 39 Inches in Two Area on the West Side of the Play Yard.**
5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (A)
- **Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Was Less Than 42 Inches High; The Measured Height Was 39 Inches in Two Area on the West Side of the Play Yard.**
5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (A)

May 16, 2024 2 Findings ● 2 Important

- **Equipment in the Outdoor Play Area, the Brown Climber with Blue Slide, Was Unsafe as Evidenced by the Platform at the Top of the Ladder Was Not Sided in and Had No Protective Barriers to Keep the Children From Falling Off the Side. The Fall Would Be Approximately 3-4 Feet.**
5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (G)
- **Equipment in the Outdoor Play Area, the Brown Climber with Blue Slide, Was Unsafe as Evidenced by the Platform at the Top of the Ladder Was Not Sided in and Had No Protective Barriers to Keep the Children From Falling Off the Side. The Fall Would Be Approximately 3-4 Feet.**
5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (G)

May 9, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **Equipment in the Outdoor Play Area, the Brown Climber with Blue Slide, Was Unsafe as Evidenced by the Platform at the Top of the Ladder Was Not Sided in and Had No Protective Barriers to Keep the Children From Falling Off the Side. The Fall Would Be Approximately 3-4 Feet.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (G)

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.