

JACOBS, ERIN LUCERO

13 COUNTY ROAD 804
LINN, MO

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jul 17, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Outdoor Equipment, Yellow, Pink and Blue Playhouse, in the Main Playground Was Not Free of Loose Parts as Evidenced by There Was a White Plastic Door Located on the Oven Inside of the Playhouse, the Door Was Not Attached to the Oven. (2), Requirements for Infant-toddler/preschool Child Medical Examination Reports on File Were Not Met as Evidenced by There Was No Medical Examination Report on File Within 30 Days of Admission - the Admission Date(s) Was/were 11-6-2023. (2), and The Facility's Outdoor Space Was Not Safe/well-maintained for Children's Activities as Evidenced by There Is a Long Watering Hose That Is Laid Out and Present in the Main Outdoor Play Space. The Hose Poses as a Tripping Hazard When Leaving the Family Home to Exit Out Into the Playground. The Hose (1). None of the 5 findings were critical.

Inspection Visits

Jul 17, 2025 2 Findings ● 2 Important

- **Outdoor Equipment, Yellow, Pink and Blue Playhouse, in the Main Playground Was Not Free of Loose Parts as Evidenced by There Was a White Plastic Door Located on the Oven Inside of the Playhouse, the Door Was Not Attached to the Oven.**

5 CSR 25-400.095 Furniture, Equipment and Materials

- **Outdoor Equipment, Yellow, Pink and Blue Playhouse, in the Main Playground Was Not Free of Loose Parts as Evidenced by There Was a White Plastic Door Located on the Oven Inside of the Playhouse, the Door Was Not Attached to the Oven.**

5 CSR 25-400.095 Furniture, Equipment and Materials

Jan 10, 2025 2 Findings ● 2 Important

- **Requirements for Infant-toddler/preschool Child Medical Examination Reports on File Were Not Met as Evidenced by There Was No Medical Examination Report on File Within 30 Days of Admission - the Admission Date(s) Was/were 11-6-2023.**

5 CSR 25-400.125 Medical Examination Reports

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **Requirements for Infant-toddler/preschool Child Medical Examination Reports on File Were Not Met as Evidenced by There Was No Medical Examination Report on File Within 30 Days of Admission - the Admission Date(s) Was/were 11-6-2023.**

5 CSR 25-400.125 Medical Examination Reports

Feb 15, 2024 1 Finding ● 1 Important

- **The Facility's Outdoor Space Was Not Safe/well-maintained for Children's Activities as Evidenced by There Is a Long Watering Hose That Is Laid Out and Present in the Main Outdoor Play Space. The Hose Poses as a Tripping Hazard When Leaving the Family Home to Exit Out Into the Playground. The Hose**

5 CSR 25-400.085 Physical Requirements of the Family Day Care Home

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.