

CONSTANCE, CATHY ANN

613 MOUNT VERNON DR
BLUE SPRINGS, MO

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 1, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were The Annual Fire Safety Inspection Was Not Approved. (2), The Requirements for First Aid and CPR Certification Were Not Met as Evidenced by There Was No Documentation on File Showing Completion of Age-appropriate CPR Certification. (2), and Criminal Background Check Results Were Not on File for Jennifer Mathews. (1). None of the 5 findings were critical.

Inspection Visits

Apr 1, 2026 2 Findings ● 2 Important

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-400.055 Annual Requirements

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-400.055 Annual Requirements

Jun 9, 2025 3 Findings ● 3 Important

● **The Requirements for First Aid and CPR Certification Were Not Met as Evidenced by There Was No Documentation on File Showing Completion of Age-appropriate CPR Certification.**

5 CSR 25-400.105 The Child Care Provider and Other Child Care Personnel

● **Safe Sleep Training Was Not Completed Within the Past 3 Years for the Assistant(s), Jennifer Mathews.**

5 CSR 25-400.105 The Child Care Provider and Other Child Care Personnel

● **Criminal Background Check Results Were Not on File for Jennifer Mathews.**

5 CSR 25-600.020 General Requirements

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.