

MWSU HEAD START

4525 DOWNS DR
ST JOSEPH, MO

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Mar 25, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were The Annual Fire Safety Inspection Was Not Approved. (3) and Requirements for Handwashing Were Not Met as Evidenced by Caregiver Was Observed Not Washing Hands After Changing a Child's Diaper, Sanitizing the Changing Table, and Then Reaching for Another Child to Change Their Diaper. (2). None of the 5 findings were critical.

Inspection Visits

Mar 25, 2026 5 Findings ● 5 Important

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-500.052 Annual Requirements

● **The Annual Sanitation Inspection Was Not Conducted.**

5 CSR 25-500.052 Annual Requirements

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-500.052 Annual Requirements

● **Requirements for Handwashing Were Not Met as Evidenced by Caregiver Was Observed Not Washing Hands After Changing a Child's Diaper, Sanitizing the Changing Table, and Then Reaching for Another Child to Change Their Diaper.**

5 CSR 25-500.192 Health Care

● **Requirements for Handwashing Were Not Met as Evidenced by Caregiver Helped Child Down From the Changing Table and Told Him to Go Play, She Did Not Ask Him nor Assist Him in Washing His Hands.**

5 CSR 25-500.192 Health Care

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.