

AA ACADEMY LLC

116 N MAIN ST
GRAIN VALLEY, MO

3 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Apr 8, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were A Medical Examination Report Did Not Include Either a Risk Assessment for Tuberculosis Form or a Negative Tuberculin Skin Test (TST) for the Following Staff: Aralyn Ballenger (2nd Page Missing of TB Risk Assessment). (4) and The Fall-zone Area Under and Around Outdoor Equipment Where Children Might Fall and Be Injured Was Not Covered with Impact-absorbing Materials to Cushion a Fall as Evidenced by Resilient Material Was Not Uniformly Spread Over the Fall-zone Area. (1). None of the 5 findings were critical.

Inspection Visits

Apr 8, 2026 2 Findings ● 2 Important

- **A Medical Examination Report Did Not Include Either a Risk Assessment for Tuberculosis Form or a Negative Tuberculin Skin Test (TST) for the Following Staff: Aralyn Ballenger (2nd Page Missing of TB Risk Assessment).**

5 CSR 25-500.122 Medical Examination Reports

- **A Medical Examination Report Did Not Include Either a Risk Assessment for Tuberculosis Form or a Negative Tuberculin Skin Test (TST) for the Following Staff: Aralyn Ballenger (2nd Page Missing of TB Risk Assessment).**

5 CSR 25-500.122 Medical Examination Reports

Apr 7, 2026 2 Findings ● 2 Important

- **A Medical Examination Report Did Not Include Either a Risk Assessment for Tuberculosis Form or a Negative Tuberculin Skin Test (TST) for the Following Staff: Aralyn Ballenger (2nd Page Missing of TB Risk Assessment).**

5 CSR 25-500.122 Medical Examination Reports

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **A Medical Examination Report Did Not Include Either a Risk Assessment for Tuberculosis Form or a Negative Tuberculin Skin Test (TST) for the Following Staff: Aralyn Ballenger (2nd Page Missing of TB Risk Assessment).**

5 CSR 25-500.122 Medical Examination Reports

Nov 25, 2025 1 Finding ● 1 Important

- **The Fall-zone Area Under and Around Outdoor Equipment Where Children Might Fall and Be Injured Was Not Covered with Impact-absorbing Materials to Cushion a Fall as Evidenced by Resilient Material Was Not Uniformly Spread Over the Fall-zone Area.**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.