

SANTA TERESITA PRESCHOOL

5418 LOUISIANA AVE
ST LOUIS, MO

2 Inspection Visits Since 2025 · 5 Findings

Most recent inspection: Jan 14, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Had Openings That Were Greater Than 3 1/2 Inches and Allow Entrapment - the Openings Measured 14-inches High and 5-inches Wide Near the Handle of the Gate. (3) and Hazardous Items as Follows Were Accessible to Children: Bottle of Hand Sanitizer. The Item(s) Was/were Located on a Desk in the Preschool Classroom. (2). None of the 5 findings were critical.

Inspection Visits

Jan 14, 2026 2 Findings ● 2 Important

- **Hazardous Items as Follows Were Accessible to Children: Bottle of Hand Sanitizer. The Item(s) Was/were Located on a Desk in the Preschool Classroom.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 1 (D)

- **Hazardous Items as Follows Were Accessible to Children: Bottle of Hand Sanitizer. The Item(s) Was/were Located on a Desk in the Preschool Classroom.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 1 (D)

Jan 22, 2025 3 Findings ● 3 Important

- **Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Had Openings That Were Greater Than 3 1/2 Inches and Allow Entrapment - the Openings Measured 14-inches High and 5-inches Wide Near the Handle of the Gate.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (A)

- **Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Had Openings That Were Greater Than 3 1/2 Inches and Allow Entrapment - the Openings Measured 14-inches High and 5-inches Wide Near the Handle of the Gate.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (A)

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **The Facility's Outdoor Space Was Not Safe for Children's Activities as Evidenced by the Presence of a Ladder and Pair of Pliers Leaning Up Against the Gate on the Playground.**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (C)

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.