

PLEASANT VALLEY BAPTIST CHURCH-KID'S CONNECTION LEARNING CENTER

1600 N 291 HWY
LIBERTY, MO

1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: Mar 11, 2026

- 5 Important

Across 1 inspection since 2026, the issues cited most often were Medical Examination Reports, Including TB Testing, Were Not on File for Diane Peterson and Mackenzie Phillips as Evidenced by a Cleared TB Report Was Not on File for Caregivers Within 30 Days of Working in the Facility. (3), Hazardous Items as Follows Were Accessible to Children: 2 Adult Scissors. The Item(s) Was/were Located in an Unlocked Drawer in Room 137. (1), and Requirements for Fire Safety Inspection Were Not Met as Evidenced by the Inspection Was Not Approved. (1). None of the 5 findings were critical.

Inspection Visits

Mar 11, 2026 5 Findings ● 5 Important

- **Medical Examination Reports, Including TB Testing, Were Not on File for Diane Peterson and Mackenzie Phillips as Evidenced by a Cleared TB Report Was Not on File for Caregivers Within 30 Days of Working in the Facility.**
5 CSR 25-300.050 Health Requirements
- **Requirements for Immunization Reports on File Were Not Met as Evidenced by Verification of Required Immunizations Was Not Satisfactory in That the Religious Exemption Form Was Not Filled Out Completely.**
5 CSR 25-300.050 Health Requirements
- **Medical Examination Reports, Including TB Testing, Were Not on File for Diane Peterson and Mackenzie Phillips as Evidenced by a Cleared TB Report Was Not on File for Caregivers Within 30 Days of Working in the Facility.**
5 CSR 25-300.050 Health Requirements
- **Hazardous Items as Follows Were Accessible to Children: 2 Adult Scissors. The Item(s) Was/were Located in an Unlocked Drawer in Room 137.**
5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 1 (D)

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **Requirements for Fire Safety Inspection Were Not Met as Evidenced by the Inspection Was Not Approved.**

RSMo 252. Fire, safety, health and sanitation inspections, procedures - variances to rules granted when - rules authoriz

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.