

(BELIEVING IN RIGHTEOUSNESS THROUGH HIM) "B.I.R.T.H." ACADEMY EARLY CARE & EDUCATION CENTER

4523 N 19TH ST
ST LOUIS, MO

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Nov 3, 2025

- 5 Important

Across 2 inspections since 2025, the issues cited most often were Medical Examination Reports, Including TB Testing, Were Not on File for Beverly Moment and Valerie Ford as Evidenced by a Medical Examination Was Not on File Within 30 Days of an Individual Beginning to Work with Children. (3) and Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Had Openings That Were Greater Than 3 1/2 Inches and Allow Entrapment - the Openings Measured Approximately 12 Inches Along the Bottom of the Two Chainlink Gates and Approximately 7 Inches Wide in the Middle Where the Two (2). None of the 5 findings were critical.

Inspection Visits

Nov 3, 2025 4 Findings ● 4 Important

- **Medical Examination Reports, Including TB Testing, Were Not on File for Beverly Moment and Valerie Ford as Evidenced by a Medical Examination Was Not on File Within 30 Days of an Individual Beginning to Work with Children.**

5 CSR 25-300.050 Health Requirements

- **Medical Examination Reports, Including TB Testing, Were Not on File for Beverly Moment and Valerie Ford as Evidenced by a Medical Examination Was Not on File Within 30 Days of an Individual Beginning to Work with Children.**

5 CSR 25-300.050 Health Requirements

- **Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Had Openings That Were Greater Than 3 1/2 Inches and Allow Entrapment - the Openings Measured Approximately 12 Inches Along the Bottom of the Two Chainlink Gates and Approximately 7 Inches Wide in the Middle Where the Two**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (A)

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

- **Requirements for the Outdoor Play Area Were Not Met as Evidenced by the Fence Had Openings That Were Greater Than 3 1/2 Inches and Allow Entrapment - the Openings Measured Approximately 12 Inches Along the Bottom of the Two Chainlink Gates and Approximately 7 Inches Wide in the Middle Where the Two**

5 CSR 25-300.090 Physical Plant, Space, Supplies and Equipment 4 (A)

Oct 15, 2025 1 Finding ● 1 Important

- **Medical Examination Reports, Including TB Testing, Were Not on File for Beverly Moment and Valerie Ford as Evidenced by a Medical Examination Was Not on File Within 30 Days of an Individual Beginning to Work with Children.**

5 CSR 25-300.050 Health Requirements

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.