

KIDDOS KORNER LLC

1930 E 5TH ST
WASHINGTON, MO

2 Inspection Visits Since 2026 · 5 Findings

Most recent inspection: Feb 17, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were The Annual Fire Safety Inspection Was Not Approved. (3), The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Was Not in Good Condition in That During the Outdoor Inspection, the Fence Was Missing a Anchor Bar in the Fence That Was Allowing the Back (1), and 1 Child(ren) Records Did Not Include Work Schedule of Parent(s), Guardian or Legal Custodian. (1). None of the 5 findings were critical.

Inspection Visits

Feb 17, 2026 2 Findings ● 2 Important

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-500.052 Annual Requirements

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-500.052 Annual Requirements

Feb 6, 2026 3 Findings ● 3 Important

● **The Annual Fire Safety Inspection Was Not Approved.**

5 CSR 25-500.052 Annual Requirements

● **The Facility Did Not Have a Fenced Outdoor Play Area That Was on or Adjoining the Day Care Property and Was Accessible Without Hazard as Evidenced by the Fence Was Not in Good Condition in That During the Outdoor Inspection, the Fence Was Missing a Anchor Bar in the Fence That Was Allowing the Back**

5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

● **1 Child(ren) Records Did Not Include Work Schedule of Parent(s), Guardian or Legal Custodian.**

5 CSR 25-500.222 Records and Reports

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.