

KANDI LAND ACADEMY LLC

6201 PAGE AVE
ST LOUIS, MO

1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: Jan 5, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were The Staff Sheet Was Not Submitted. (3) and The Requirements for Protective Outlet Covers or Twist-lock Outlets Were Not Met as Evidenced by Electrical Outlets Were Not Covered in That Six Protective Outlet Covers Were Not Used Throughout the Building. (2). None of the 5 findings were critical.

Inspection Visits

Jan 5, 2026 5 Findings ● 5 Important

● **The Staff Sheet Was Not Submitted.**
5 CSR 25-500.052 Annual Requirements

● **The Annual Declaration Was Not Completed as Evidenced by the Ownership Was Incorrect.**
5 CSR 25-500.052 Annual Requirements

● **The Family Care Safety Registry Check Was Not Conducted for Serieta Reed, Willa Buchannon, Melissa Morgan, Shamira Young, Roben Clark, Darra Clark, and Melinda McRoberts Within Thirty (30) Days Prior to the Anniversary Date.**
5 CSR 25-500.052 Annual Requirements

● **The Requirements for Protective Outlet Covers or Twist-lock Outlets Were Not Met as Evidenced by Electrical Outlets Were Not Covered in That Six Protective Outlet Covers Were Not Used Throughout the Building.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

● **Hazardous Items as Follows Were Accessible to Children: Mop Bucket with Solution and Diaper Cream. The Item(s) Was/were Located in the Preschool Classroom.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.