

SPROUT STL LLC

5570 FYLER AVE
ST LOUIS, MO

1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: May 14, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Diapering Requirements Were Not Met as Evidenced by the Diapering Table Was Not Located Where Caregiver Could Maintain Supervision of His/her Group of Children. The Diapering Table Was Located in the Child's Bathroom. (4) and Requirements of 19 CSR 30-62.087 Fire Safety Were Not Met as Evidenced by Fire Drills Were Not Held at Least One Time Each Month. (1). None of the 5 findings were critical.

Inspection Visits

May 14, 2026 5 Findings ● 5 Important

- **Diapering Requirements Were Not Met as Evidenced by the Diapering Table Was Not Located Where Caregiver Could Maintain Supervision of His/her Group of Children. The Diapering Table Was Located in the Child's Bathroom.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Facility's Outdoor Play Space Is Used at the Same Time by Children From the Infant/toddler Unit and Preschool/school-age Children as Evidenced by There Was a 9-month-old on the Playground with the Preschool Classroom.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **The Requirements for Protective Outlet Covers or Twist-lock Outlets Were Not Met as Evidenced by Electrical Outlets Were Not Covered in That Three Outlets Wee Missing Outlet Covers.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **Lighting Requirements for Rooms Used by Children Were Not Met as Evidenced by Lighting Was Insufficient to Observe and Supervise Children in That in the Infant and Toddler Classroom the Lights Were Off and Could Not See the Children.**
5 CSR 25-500.082 Physical Requirements of Group Day Care Homes and Day Care Centers
- **Requirements of 19 CSR 30-62.087 Fire Safety Were Not Met as Evidenced by Fire Drills Were Not Held at Least One Time Each Month.**
5 CSR 25-500.087 Fire Safety

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.