

RAINEY-HICKS, FLORENCE DENISE

612 WASHINGTON AVE
COLUMBIA, MO

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Apr 28, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were The Facility Does Not Have an Approved Director on Staff. (2), A Medical Examination Report Did Not Include Either a Risk Assessment for Tuberculosis Form or a Negative Tuberculin Skin Test (TST) for the Following Staff: Kara Griggs. (2), and The Annual Fire Safety Inspection Was Not Approved. (1). None of the 5 findings were critical.

Inspection Visits

Apr 28, 2026 4 Findings ● 4 Important

● **The Facility Does Not Have an Approved Director on Staff.**
5 CSR 25-500.102 Personnel

● **The Facility Does Not Have an Approved Director on Staff.**
5 CSR 25-500.102 Personnel

● **A Medical Examination Report Did Not Include Either a Risk Assessment for Tuberculosis Form or a Negative Tuberculin Skin Test (TST) for the Following Staff: Kara Griggs.**
5 CSR 25-500.122 Medical Examination Reports

● **A Medical Examination Report Did Not Include Either a Risk Assessment for Tuberculosis Form or a Negative Tuberculin Skin Test (TST) for the Following Staff: Kara Griggs.**
5 CSR 25-500.122 Medical Examination Reports

Oct 8, 2025 1 Finding ● 1 Important

● **The Annual Fire Safety Inspection Was Not Approved.**
5 CSR 25-500.052 Annual Requirements

About this report

Childery generates this report from public inspection records published by the Missouri Department of Elementary and Secondary Education, Office of Childhood. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Missouri Department of Elementary and Secondary Education, Office of Childhood.