

# ALL IN THE FAMILY

7520 CRESTSIDE LANE  
CHARLOTTE, NC

## 2 Inspection Visits Since 2025 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Sep 23, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Operator Did Not Successfully Complete a First Aid Course as Referenced in Rule.1702(b)(2) First Aid Training Was Not Renewed on or Before the Expiration Of... (1), Operator Did Not Successfully Complete a CPR Course as Referenced in Rule.1702(b)(2) CPR Training Was Not Renewed on or Before the Expiration of The... (1), and Operator And/or Staff Who Work with Children, Did Not Complete Health and Safety Training as Part of On-going Training So That Every Five Years, All the Topic... (1). None of the 5 findings were critical.

### Inspection Visits

Sep 23, 2025 3 Findings ● 3 Important

● **Operator Did Not Successfully Complete a First Aid Course as Referenced in Rule.1702(b)(2) First Aid Training Was Not Renewed on or Before the Expiration Of...**

the certification. The provider's First Aid certification expired on 6/2025, the re-certification occurred on 8/4/25. Violation

● **Operator Did Not Successfully Complete a CPR Course as Referenced in Rule.1702(b)(2) CPR Training Was Not Renewed on or Before the Expiration of The...**

certification. The provider's CPR certification expired on 6/2025, the re-certification occurred on 8/4/25. Violation corrected during

● **Operator And/or Staff Who Work with Children, Did Not Complete Health and Safety Training as Part of On-going Training So That Every Five Years, All the Topic...**

areas were covered. The provider's health and safety trainings were due on or before 5/20/25. Violation confirmed corrected by

Apr 24, 2025 2 Findings ● 2 Important

#### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Indoor and Outdoor Areas Used by the Children Were Not Kept Clean, Orderly, and Free of Items Which Are Potentially Hazardous to Children Including Removal...**

of items a child can swallow; the removal of loose nails or screws and splinters on inside; and use of outdoor equipment that

- **Indoor Stairs with More Than Two Steps Were Not Made Inaccessible to Children Two Years of Age or Younger.**

A partition/gate was not placed at the stairs and children two years of age and younger are enrolled and present. Violation corrected during visit

Corrected at visit

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.